Journal of Obstetrics and Gynaecology (1994) 14, 455–464

Index

Volume 14/1994

Abnormalities, lethal congenital, causing perinatal and neonatal deaths in Saudi Arabia, 423
Abortion, immunoglobulin treatment in recurrent spontaneous, 138
Abortion, induced: a risk factor for infertility in Nigerian women, 272
Abortion, legal, by menstrual regulation: a report of 778 cases, 175
Aboud E. and Gordon H.: Pregnancy and scleroderma, 262
Aboud E. and Stuart B.: Two cases of conjoined twins, 26
Abruptio placentae—a nutritional disorder of the underdeveloped world?, 301
Acceptability of injectable contraceptives, Supplement 1, S29
Adami L., Cartolari I., Ghidini A. and Diani F.: Molar pregnancy complicating complete hydatiform mole follow up, 325
Adeghe, A. J-H., Atiba E. O. and Murphy P. J.: Carcinoma of the fallopian tube presenting with umbilical metastasis, 212
Adenomyosis limited to a rudimentary uterine horn, 207
Adinma J. I. B.: Cervical defects following repeated cervical circlage operations, 392
Agustsson P.: see Chien P. F. W.
Ahmed Ebbiary N. A. and Jackson P.: Hospital stay after caesarean section, 91
Ahow M.: see Narayansingh G.
Akalin-Sel T., Çiçek Y., Pekmezci S., Taşçi H., Gökdoğan C. and Öneş S.: Umbilical endometriosis following blunt trauma, 208
Akande V.: see Eckford S. D.
Alaily A. B.: see Assad K.
Alcohol consumption and the risk of first trimester miscarriage, 69
Al-Mulhim A., Al-Najashi S., Rahman J. and Rahman M. S.: Management of eclampsia: a review of 50 cases, 405
Al-Najashi S.: see Al-Mulhim A.
Al Sibai H.: see Knox-Macaulay H.
Al-Tahir H.: see Wilde J. T.
Amato P.: see Nicotra M.
Ambroise-Thomas P.: see Petersen E.
Amniocentesis, an unusual hazard of, 259
Anaemia, aplastic, and pregnancy, 431
Anand B. and Bowen-Simpkins P.: Survival after right internal carotid artery occlusion associated with ovarian hyperstimulation syndrome, 448
Antibiotics in pregnancy, Supplement 2, S99
Antolín E., Castelo-Branco C., López A., Martínez M. and Torné A.: Umbilical cord torsion: a rare cause of intrauterine fetal death, 324
Anumba D. O. C., Gbinigie A. O. and Edmondson R. J.: Reproductive performance of two generations of women with Marfan's syndrome, 401
Appendicitis, acute, during pregnancy, 133
Aranguren C.: see Ariceta J. M.
d'Arcangues C.: see Newton J. R.
Ariceta J. M., Matorras R., Diez J., Montoya F. and Aranguren C.: Sequential vacuum extractor and forceps delivery, 312
Arnanz F.: see Rico H.
Arowojolu A. O. and Randle G. R.: Laparoscopically assisted vaginal hysterectomy. How do we reduce the cost?, 441
Arribas I.: see Rico H.
Asaad K. and Alaily A. B.: Oxytocin use and delivery outcome in women with one previous caesarean section and pre-labour rupture of the membranes at term, 420
Asaad K. and Pembrey M. R.: Cervical cryosurgery—the barrier technique, 445
Asaad K. A. B. and Nash T. G.: Ultrasound scan diagnosis of placental tumour in second and third trimesters of pregnancy—could it be placental abruption?, 20
Atiba E. O.: see Adeghe A. J-H.
Awonuga A. O. and Feeney J. G.: Aetiology of fetal macrosomia in normal primigravidae, 250
Awwad J. T., Azar G. B., Hammoush R. G. and Karam K. S.: Bowel damage: a complication of dilatation and evacuation of the uterus, 52
Axelsson O.: see Wikström I.
Ayida G. and Spencer J. A. D.: Prediction in early labour of subsequent operative delivery for fetal distress, 244
Azar G. B.: see Awwad J. T.
Aziz-Karim S., Khursid M., Rizvi J. H., Jafaery S. N. and Memon A. M.: Abruptio placentae—a nutritional disorder of the underdeveloped world?, 301

Bacterial vaginosis and risks in gynaecology, Supplement 2, S47
Bacterial vaginosis—hazardous for women's health?, Supplement 2, S47
Baldwin S.: see Rogers M. S.

Balen A. H. and Prentice M. G.: Spontaneous conception in a woman with Turner mosaicism, polycystic ovaries and hyper-prolactinaemia secondary to a pituitary macroadenoma, 117
Bark P.: see Vincent C.
Barker M.: see Johnson N.
Barlow D. H.: see Robinson J. N.
Barrett T.: see Quinn A. J.
Bassaw B.: see Downes R.
Bassi C., Langer B., Dreval A. and Schlaeder G.: Legal abortion by menstrual regulation: a report of 778 cases, 175
Bassiri M.: see Mahmoud E. A.
Bates A. and Davies E.: Haemophilus influenzae chorioamnionitis, 83
Becker G.: see Ferrier C.
Benyon G.: see Lopes A.
Benyon J. L. B.: see Stamp R. J.
Berendtsen H.: see Lopez H. B. B.
Bergan T.: see Stray-Pedersen B.
Bergström R.: see Wikström I.
Bernhardt W. L.: see Sanusi F. A.
Bernstein G. S., Campeau J. D. and Nakamura R. M.: Effect of vaginal therapeutic products on physical properties of latex condoms, Supplement 2, S138
Beynon J. L.: see Gupta S.
Bhal K. S., Fox R. and Wardle P. G.: Tubal infertility secondary to occult pelvic tuberculosis, 291
Bilir A.: see Erbengi T.
β-lactam antibiotics in pregnancy—pharmacokinetic aspects, Supplement 2, S99
Bladder function, effect of obstetric forceps delivery on postpartum, 410
Bladder function, short term effect of obstetric anaesthesia on, 254
Blair-Bell C.: see Irvine L. M.
Bone loss, trabecular versus cortical, induced by GnRH agonists, 188
Bonner J.: see Drudy L.
Bowel damage: a complication of dilatation and evacuation of the uterus, 52
Bowen-Simpkins P.: see Anand B.
Boyd W. D. and Charnock F. M. L.: Open laparoscopy in pregnancy, 23
Brady J. L., Fish A. N. J., Woolas R. P., Brown C. L. and Oram D. H.: Large loop diathermy of the transformation zone: is 'see and treat' an acceptable option for the management of women with abnormal cervical smears?, 44
Braet P. G., Peel J. M. and Fenton D. W.: A case controlled study of the outcome of pregnancy following loop diathermy excision of the transformation zone, 79
Breeches, undiagnosed presenting in labour—should they be allowed a trial of labour?, 151
Brown C. L.: see Brady J. L.
Brown I.: see Eckford S. D.
Burman L. G. and Tullus K.: Neonatal morbidity associated with group B streptococci and its prevention by chlorhexidine flushing of the vagina during labour—the Swedish experience, Supplement 2, S119
Byrjalsen C.: see Kierkegaard O.
Caesarean section and pre-labour rupture of the membranes at term, oxytocin use and delivery outcome in women with one previous, 420
Caesarean section: a safe operation?, 86
Caesarean section for the second twin, 157
Caesarean section, hospital stay after, 91
Caesarean section 26 minutes after cardiac arrest—a successful outcome, 432
Caesarean section, outcome of pregnancy in patients with one previous, 416
Caldwell A. D. S.: see Fotherby K.
Candida vaginitis in human immunodeficiency seropositive women, Supplement 2, S130
Campeau J. D.: see Bernstein G. S.
Capillary blood glucose, cut-off values of laboratory measurements of in a glucose challenge test. Evaluation of 250 cases, 76
Carcinoma of the fallopian tube presenting with umbilical metastasis, 212
Carcinoma, squamous cell, arising from a dermoid cyst with unsuspected splenic metastasis diagnosed by needle aspiration, 359
Carcinoma, Stage IV endometrial, presenting as a vesicocolic fistula, 120
Cardia G., Loverro G., Strada L., Nappi E. and Selvaggi L.: Uterine artery aneurysm rupture in pregnancy, 165
Cardiotocograms: their storage, identification and retrieval, 388
Cardozo L. D.: see Kelleher C. J.
Cartolari I.: see Adami L.
Castelo-Branco C.: see Antolín E.
Cervical adenocarcinoma, skin incision recurrence of 17 years after treatment, 449
Cervical cancer, are pre-operative lymphographic results reflected in the survival of stage Ib and IIa, 352
Cervical circlage operations, cervical defects following repeated, 392
Cervical secretion, antichlamydial activity of, 166
Cervical intra-epithelial neoplasia, community cytological surveillance following treatment of, 203
Cervical intra-epithelial neoplasia, is it efficacious to use large loop excision of the transformation zone for 'diagnosis and treatment in one procedure' in management, 111
Cervical intra-epithelial neoplasia, reliable cytology may be adequate in the follow up of women treated by cone biopsy, 356
Cervical pregnancy—problems of diagnosis, 447
Cervix, incompetent, complicated by placenta praevia, 433
Chamberlain G. V. P.: see Kabukoba J. J.
Chard T.: see Ind T. E. J.
Chari S. P., Connolly P., Shafi M. I. and Luesley D. M.: Treatment of lichen sclerosus et atrophicus and squamous cell hyperplasia with graduated topical steroids, 172
Charnock F. M. L.: see Boyd W. D.
Chia K. V., Scarffe R. J. and Sobowale O. A.: Is it efficacious to use large loop excision of the transformation zone for 'diagnosis and treatment in one procedure' in the management of cervical intra-epithelial neoplasia?, 111

Chien P. F. W., Agustsoon P., Patel N. B. and Ogston S.: Effect of obstetric forceps delivery on postpartum bladder function, 410
Chlamydial infection, Supplement 2, S136
Chung T.: see Rogers M. S.
Çiçek Y.: see Akalin-Sel T.
Circumcision, female: three years' experience of common complications in patients treated in Khartoum teaching hospitals, 40
Clarke F.: see El Torkey M. M.
Clinch J.: Is vaginal hysterectomy feasible in women who have had previous pelvic surgery?, 184
Clinical studies with Cyclofem and Mesigyna (phase II and phase III), Supplement 1, S13
Clubb A. W.: see Kilby M.
Cnattingius S.: see Wikström I.
Coagulopathy, life threatening, complicating operative delivery from a fibroid uterus: resolution after myomectomy, 96
Cocilovo G., Leonardi M. C., Vesce F. and Mollica G.: Cut-off values of laboratory measurements of capillary blood glucose in a glucose challenge test. Evaluation of 250 cases, 76
Cockburn J., Foong C. and Cockburn P.: Undiagnosed breeches presenting in labour—should they be allowed a trial of labour?, 151
Cockburn P.: see Cockburn J.
Cockell A.: see Smith R. N. J.
Coltart T. M.: see Smith R. N. J.
Condoms, effect of vaginal therapeutic products on their physical properties, Supplement 2, S138
Congenital infections with toxoplasmosis, Supplement 2, S105
Congenital toxoplasmosis, European research network on, Supplement 2, S112
Congenital toxoplasmosis, primary and secondary prevention of, Supplement 2, S110
Connolly P.: see Chari S. P.
Contraception and infection, Supplement 2, S138
Contraceptive practice among women seeking legal abortion in Hartlepool, 355
Contraceptives, historical aspects and development of once-a-month combined injectable, Supplement 1, S1
Cosmi E. V.: see Nicotra M.
Crawford R. A.: An incompetent cervix complicated by placenta praevia, 433
Creighton S.: see Zamblera D.
Crohn's disease, surgical treatment of vulval 'polyps' in, 206
Cryosurgery, cervical—the barrier technique, 445
Cuckle H. S.: see Ind T. E. J.
Currently available once-a-month combined injectable preparations, Supplement 1, S6
Curtis P.: see Dawney G. P.

Danielian P. J., Jeyerajah A., Mitchell H. D. C. and Steer P. J.: Protocol for the management of early ectopic pregnancy using a rapid 1 hour quantitative serum β-hCG assay, 99
Daras V.: see Lopes A.
Davidson A. C.: see Hollingworth J.
Davies E.: see Bates A.
Davies M. G.: see Wilde J. T.
Dawney G. P., Jackson A. E., Curtis P., Deery A. R. S. and Walker P. G.: Reliable cytology may be adequate in the follow up of women treated by cone biopsy for cervical intra-epithelial neoplasia, 356
Day J. B.: see Nwosu E. C.
Deery A. R. S.: see Dawney G. P.
Demir R.: see Erbengi T.
De Muylder X.: An easy screening test for tubal patency in developing countries, 108
De Seta F.: see Guaschino S.
Diani F.: see Adami L.
Diathermy loop excision of the cervix: a cause for female iso-immunity to spermatozoa?, 290
Diez J.: see Ariceta J. M.
Divers M. J.: see Fenwick D. K. F.
Dougall H., Scott V. and Mahmood T. A.: Spontaneous fracture of the neck of femur during pregnancy, 263
Doughty H. A.: see Spence-Jones C.
Downes R., Bassaw B. and Roopnarinesingh S.: Caesarean section for the second twin, 157
Down's syndrome, second trimester maternal serum placental alkaline phosphatase concentrations in, 305
Dreval A.: see Bassi C.
Drudy L., Sheppard B. L. and Bonnar J.: Histamine concentration in menstrual and peripheral blood from patients with normal menstrual blood loss and in dysfunctional menstrual bleeding, 435
Dysmenorrhoea and abdominal mass in an adolescent with a uterus bicornis unicollis, 50
Dystrophy, myotonic, complicated by acute hydramnios, 164

Eckford S. D., Hirschowitz, L., Brown I. and Akande V.: Malakoplakia of the uterine cervix—a rare cause of post-menopausal bleeding, 51
Eclampsia, management of: a review of 50 cases, 405
Ectopic pregnancy diagnosed following attempted mifepristone (RU 486) abortion, 259
Ectopic pregnancy, early, a protocol for the management of using a rapid 1 hour quantitative serum β-hCG assay, 99
Ectopic pregnancy, incidence of in the City and Hackney Health District of London, 1900–1991, 29
Edelman R. J.: see Low W. Y.
Edmondson J.: see Anumba O. C.
Egan D. M.: see Robinson J. N.
Elias J. A.: see Spence C. P.
El Haddad M. A., Kenyon N. and McCallum J.: Obstructed incisional hernia after laparoscopy, 288
El-Lakany N. E. and Harlow R. A.: Acute inversion of the uterus, 323
El Torkey M. M., Al Nuaim M. A., Kurdi A. M., Sabagh T. O. and Clarke F.: Episiotomy, elective or selective: a report of a random allocation trial, 317
El Torkey M. M.: see Kurdi A. M.
Endometrial resection, pregnancy following, 17
Endometriosis, auto-immunity in infertile patients with, 114
Episiotomy, elective or selective: a report of a random allocation trial, 317

Erbengi T., Sevilen F., Sencer E., Bilir A. and Demir R.: Ultrastructual study on the placenta from intrauterine and spontaneous and 'artificial' ectopic tubal pregnancies, 226
Eriksen B. C.: Uro-vaginal physiology: an overview, Supplement 2, S59
Erkkola R.: see Heikkilä A.
Esedebe E. M.: see Nwosu E. C.
European Society for Infectious Diseases in Obstetrics and Gynaecology, Supplement 2, S47
Evans J.: see Vine S. J.
Ezeh O. I. U. and Lamb M. P.: Cervical incompetence, a complication of pregnancy following transcervical resection of the endometrium, 260

Farrar D. J.: see Llewelyn R. W.
Feeney J. G.: see Awonuga A. O.
Femur, spontaneous fracture of neck of during pregnancy, 263
Fenton D. W.: see Braet P. G.
Fenwick D. K. F., Divers M. J. and Gordon A. J.: Unusual differential diagnosis of pelvic mass in pregnancy, 261
Fernando R. J.: see Gunasekera P. C.
Ferrier C., North R. A., Becker G., Long D., Hallo J. and Kincaid-Smith P.: Uterine artery Doppler wave form indices in the second trimester: resistance index, notch measurement and placental position, 237
Fetal distress, prediction in early labour of subsequent operative delivery for, 244
Fetal hydrops—is the prognosis always poor?, 142
Fetal macrosomia, aetiology of, in normal primigravidae, 250
Fibromyoma in a patient on tamoxifen, enlargement of, 118
Fish A. N. J.: see Brady J. L.
Foong C.: see Cockburn J.
Forceps delivery, sequential vacuum extractor and, 312
Fotherby K. and Caldwell A. D. S.: The new low dose oral contraceptives, 327
Fowlis G. A.: see Walker C.
Foulon W. and Naessens A.: Primary and secondary prevention of congenital toxoplasmosis, Supplement 2, S110
Foulon W.: see Petersen E.
Fox R.: see Bhal K. W.
Fransden K.: see Kierkegaard O.
Frith K. M.: see Sharma K. K. Y.
Fujino Y.: see Tsuda H.

Gale J.: see Kabukoba J. J.
Gangrene, postoperative synergistic, 205
Gbinigie O.: see Anumba O. C.
Genital tract colonisation in early pregnancy and prevention of preterm labour, Supplement 2, S50
Georgy M. S., Ghoneim H. and Ismail N.: Lethal congenital abnormalities causing perinatal and late neonatal deaths in Saudi Arabia, 423
Geraghty J. M.: see Morrison J. J.
Ghaly A. F. F.: Psychological and physical benefits of pelvic ultrasonography in patients with chronic pelvic pain and negative laparoscopy. A random allocation trial, 269
Ghidini A.: see Adami L.
Ghoneim H.: see Georgy S.
Gibson J. R. M.: see Gupta S.
Gilbert R.: see Petersen E.
Gjønnaess H.: Prophylaxis of infection in gynaecological and obstetric surgery, Supplement 2, S87
Glucose intolerance, screening for in pregnancy by random plasma glucose measurement, 71
Gökdoğan C.: see Akalin-Sel T.
Gordon A. J.: see Fenwick D. K. F.
Gordon H.: see Aboud E.
Greiss G. G., Steel M. R. and Guirguis A. F.: Caesarean section 26 minutes after cardiac arrest—a successful neonatal outcome, 432
Grogaard J. see Stray-Pedersen B.
Group A streptococcal infection, Supplement 2, S92
Group A streptococcal infection in Norway, Supplement 2, S92
Group A streptococcal infection from the surgeon's point of view, Supplement 2, S96
Group B streptococcal infection, prevention with chlorhexidine, Supplement 2, S119
Guaschino S., De Seta F., Ventresca G. and Spinelto A.: Clinical significance and outcome of *Candida* vaginitis in human immunodeficiency seropositive women, Supplement 2, S130
Guiriguis A. F.: see Greiss G. G.
Gunasekera P. C.: Enlargement of a fibromyoma in a patient on tamoxifen, 118
Gunasekera P. C. and Fernando R. J.: Skin incision recurrence of a cervical adenocarcinoma 17 years after treatment, 449
Gupta J.: see Johnson N.
Gupta J. K.: see Harrold A. J.
Gupta S., Hooker J., Beynon J. L. and Gibson J. R. M.: Obstetric hysterectomy, 159
Guy P. S. and Phillips W. D. P.: Uterine fibroids: an unusual cause of haemoperitoneum, 211

Hackett G. A.: see Morrison J. J.
Haemoperitoneum, uterine fibroids, an unusual cause, 211
Haemophilus influenzae chorioamnionitis, 83
Halim M. A.: see Kurdi A. M.
Hall, P. E.: see Newton J. R.
Hallo J.: see Ferrier C.
Hamad E. E.: see Mahmoud E. A.
Hammoush R. G.: see Awwad J. T.
Hansen K. C.: see Kierkegaard O.
Harlow R. A.: see El-Lakany N. E.
Harrison R.: see Sanusi F. A.
Harrold A. J., Kalro B. and Gupta J. K.: Cervical pregnancy—problems of diagnosis, 447
Hassanein O. M.: see Mawad N. M.
Hasseltvedt V.: see Høiby E.
Hawley H.: see Hollingworth J.
Hay C. R. M.: see Wilde J. T.
Head, deeply engaged: is it a breech presentation?, 256
Hedman K.: see Petersen E.

Heikkilä A. and Erkkola R.: β-lactam antibiotics in pregnancy—pharmacokinetic aspects, Supplement 2, S99
Hepatitis C, Supplement 2, S76
Hernádi Z.: see Póka R.
Hernia, obstructed incisional after laparoscopy, 288
Herod J. J. O., Shafi M. I. and Watts J. F. P.: Ruptured uterus during middle trimester abortion with gemeprost, 321
Hicks J. L.: see Irvine L. M.
Hirschowitz L.: see Eckford S. D.
Histamine concentration in menstrual and peripheral blood from patients with normal menstrual blood loss and in dysfunctional menstrual bleeding, 435
Høiby E., Hasseltvedt, V., Sollid K. and Lermark G.: Increased incidence of severe group A streptococcal infections in Norway 1993–94: some obstetric aspects, Supplement 2, S92
Hollingworth J. Hawley J. H., Davidson A. C. and Iqbal S. J.: Severe Vitamin D deficiency in pregnancy, 430
Hooker J.: see Gupta S.
Hormone replacement, routine cyclical, do healthy asymptomatic postmenopausal women with a uterus want it? A utility analysis, 35
Hormone replacement treatment, coagulation factors in postmenopausal women using, 193
Ho-Yen D.: see Petersen E.
Human immunodeficiency virus and women, Supplement 2, S70
Human papillomavirus infections in the genital tract, Supplement 2, S82
Hustin J.: see Noel J. C.
Hydrocephalus, prenatal diagnosis of X-linked, 162
Hypertension, pregnancy induced, a reappraisal of second trimester mean arterial pressure as a predictor of, 232
Hysterectomy and subsequent ovarian function in a district hospital population, 103
Hysterectomy, laparoscopically assisted vaginal. How do we reduce the cost?, 441
Hysterectomy, obstetric, 159
Hysterectomy, post-abdominal, vaginal evisceration following delayed coitus in the menopausal state, 358
Hysterectomy, vaginal—is it feasible in women who have had previous pelvic surgery?, 184

Idris M.: see Malik A. K.
Ikhenna S. E.: see Mai A. M.
Iles R. K.: see Ind T. E. J.
Ind T. E. J., Iles R. K., Cuckle H. S. and Chard T.: Second trimester maternal serum placental alkaline phosphatase concentrations in Down's syndrome, 305
Indications and contraindications, Appendix II, Supplement 1, S34
Infarction of small bowel after gemeprost induced labour for missed abortion, 19
Infertility, tubal, secondary to occult pelvic tuberculosis, 291
Inglis T. McN.: see Martindale E. A.
Injectable contraceptive schedules, Appendix I, Supplement 1, S33
Intra-uterine pressure, attenuation of—a sign of uterine rupture in 'trial of scar', 322
Intravaginal oestriol in postmenopausal women with recurrent urinary tract infection, Supplement 2, S66
Introductory studies on Cyclofem, Supplement 1, S27
Iqbal S. J.: see Hollingworth J.
Irvine L. M., Hicks J. L., Blair-Bell C. and Setchell M. E.: Incidence of ectopic pregnancy in the City and Hackney Health District of London, 1900–1991, 29
Ismail N.: see Georgy S.

Jackson A. E.: see Dawney G. P.
Jackson P.: see Ahmed Ebbiary N. A.
Jackson R., Li X. F. and Newton J. R.: A study comparing the ovarian effects of levonorgestrel and desogestrel given orally and by vaginal ring, 277
Jafaery S. N.: see Aziz-Karim S.
James D. K.: see Smoleniec J. S.
Jayalakshmi P.: see Malik A. K.
Jerve F.: Recurrent vulvo-vaginal candidiasis, Supplement 2, S127
Jeyerajah H. D.: see Danielian P. J.
Johnson G. G.: see Johnson N.
Johnson J. M.: see Johnson N.
Johnson N., Barker M., Kelly M., McNamara H., Lilford R., Montague I., Gupta J. and Van Oudgaargen E.: Effect of monitoring the fetus with a pulse oximeter on puerperal morbidity, 11
Johnson N., Lilford R. J., Mayers D., Johnson G. G. and Johnson J. M.: Do healthy asymptomatic postmenopausal women with a uterus want routine cyclical hormone replacement? A utility analysis, 35
Jones A.: see Vincent C.
Joynson D.: see Petersen E.
Juhász B.: see Póka R.

Kabukoba J. J., Gale J., Penna L. and Chamberlain G. V. P.: Cardiotocograms: their storage, identification and retrieval, 388
Kalro B.: see Harrold A. J.
Kamiguti A.: see Wilde J. T.
Karam K. S.: see Awwad J. T.
Kelleher C. J. and Cardozo L. D.: Caesarean section: a safe operation?, 86
Kelly M.: see Johnson N.
Kenyon N.: see El Haddad M. A.
Khan G. Q.: see Thomas M.
Khouri J. A. and Sultan M. G.: Previous caesarean section and the rising incidence of placenta praevia and placenta accreta, 14
Khursid M.: see Aziz-Karim S.
Khwaja S.: see Knox-Macaulay H.
Kierkegaard O., Byrjalsen C., Tophøj K., Hansen K. C. and Frandsen K.: Progressive potential of koilocytotic atypia of the cervix to cervical intra-epithelial neoplasia, 346
Kilby M., Clubb A. W. and O'Brien P. M. S.: Pregnancy following endometrial resection, 17
Kilpatrick D. C. and Liston W. A.: Characteristics of Scottish patients presenting with recurrent miscarriage, 221

Kincaid-Smith P.: see Ferrier C.
Kingdom J. C. P.: see Quinn A. J.
Knox-Macaulay H., Khwaja S. and Al Sibai H.: Pregnancy and aplastic anaemia, 431
Koilocytotic atypia of the cervix progressive potential of, to cervical intra-epithelial neoplasia, 346
Korte K.: see Mück A. O.
Koumantakis E.: see Matalliotakis I.
Kundi A. and Walzman M.: Serological screening tests for syphilis in pregnancy: results of a 10 year survey (1983–92) in Coventry, 309
Kurdi A. M., Halim M. A., Nuaim M. A. and El Torkey M. M.: Successive pregnancies in a patient with a transplanted heart, 258
Kurdi A. M.: see El Torkey M. M.
Kvernebo K.: Group A streptococci infections. The surgeon's point of view, Supplement 2, S96

Labour, induction of, evaluation of a controlled release vaginal prostaglandin E pessary with a retrieval system, 146
Lactation, effects on, Supplement 1, S26
Lamb M. P.: see Ezeh O. I. U.
Lambert H. E.: see Walker C.
Lamont R. F.: Is it possible to predict and prevent preterm labour by eradicating abnormal genital tract colonisation in early pregnancy? Supplement 2, S50
Lampé L.: see Póka R.
Langer B.: see Bassi C.
Laparoscopy, open, in pregnancy, 23
Laparoscopy service, developing a day case, 438
Larsson P. G.: Treatments for bacterial vaginosis (or vaginal bacteriosis), Supplement 2, S51
Lawton F.: see Zamblera D.
Leiomyosarcoma, primary, of the ovary with involvement of ovarian vein, 119
Leonardi M. C.: see Cocilovo G.
Lermark G.: see Høiby E.
Levonorgestrel and desogestrel given orally and by vaginal ring, a study comparing the ovarian effects of, 277
Li X. F.: see Jackson R.
Lichen sclerosus et atrophicus and squamous cell hyperplasia, treatment of with graduated topical steroids, 172
Lilford R.: see Johnson N.
Lilford R. J.: see Johnson N.
Lippert T. H.: see Mück A. O.
Liston W. A.: see Kilpatrick D. C.
Litigation, impact of, on obstetricians and gynaecologists, 381
Llewelyn R. W., Farrar D. J., Pogmore J. R. and Sturdee D. W.: Effect of hysterectomy, transcervical resection of the endometrium and cholecystectomy on urinary symptoms: a subjective analysis, 200
Long D.: see Ferrier C.
Long M. G., Waterson E. J., MacRae K. D. and Murray-Lyon I. M.: Alcohol consumption and the risk of first trimester miscarriage, 69
Lopes A., Beynon G., Robertson G., Daras V. and Monaghan J. M.: Short term morbidity following large loop excision of the cervical transformation zone, 197
Lopez A.: see Antolín E.
Lopez H. B. B., Berendtsen H. and Micheelsen U.: Acute appendicitis during pregnancy, 133
Loverro G.: see Cardia G.
Low W. Y., Edelmann R. J. and Sutton C.: The association between socio-demographic variables and endometriosis in relation to other pelvic pathology and to pain reporting, 333
Luesley D. M.: see Chari S. P.

MacRae K. D.: see Long M. G.
Mahmood T. A.: see Dougall H.
Mahmood T. A.: see Sharma K. K.
Mahmoud E. A., Hamad E. E., Bassiri M. and Mårdh P.-A.: Antichlamydial activity of cervical secretion, 166
Mai A. M. and Ikhenna S. E.: Management of pelvic abscess in a Nigerian hospital, 180
Malakoplakia of the uterine cervix—a rare cause of post-menopausal bleeding, 51
Malik A. K., Idris F. M., Jayalakshmi P. and Sivanesaratnam V.: Primary leiomyosarcoma of the ovary with involvement of ovarian vein, 119
Management and health service research issues with injectable contraceptives, Supplement 1, S28
Mårdh P.-A.: see Mahmoud E. A.
Mårdh P.-A.: Sex tourism, migratory prostitution and travel sex, Supplement 2, S76
Maresh M. J. A.: see Martindale E. A.
Marfan's syndrome, reproductive performance of two generations of women with, 401
Martin D. H.: see Navani S. R.
Martin M.: see Oteng-Ntim E.
Martindale E. A., Inglis T. McN. and Maresh M. J. A.: Sturge-Weber syndrome associated with transient hydrops fetalis, 162
Martínez M.: see Antolín E.
Matalliotakis I., Neonaki M., Prokopakis P. and Koumantakis E.: Auto-immunity in infertile patients with endometriosis, 114
Matorras R.: see Ariceta J. M.
Mawad N. M. and Hassanein O. M.: Female circumcision: three years' experience of common complications in patients treated in Khartoum teaching hospitals, 40
Mayers D.: see Johnson N.
Mazhar E.: see Rajkhowa M.
McCallum J.: see El Haddad M. A.
McCartney C. A.: see Spence-Jones C.
McFayden I.: see Oláh K. S.
McFaul R. B.: see van Wijingaarden W. J.
McNamara H.: see Johnson N.
Memon A. M.: see Aziz-Karim S.
Menarche, characteristics of in Hausa girls in Nigeria, 265
Meniru G. I. and Reginald P. W.: Deeply engaged head: is it a breech presentation?, 256
Menorrhagia, endometrial resection increases demand for surgical treatment of, 115

Metabolic studies of injectable contraceptives, Supplement 1, S22
Micheelsen U.: see Lopez H. B. B.
Milsom I.: Uro-genital infections in elderly women. Treatment, prevention and cost benefit, Supplement 2, S63
Miscarriage, recurrent, characteristics of Scottish patients presenting with, 221
Mitchell H. D. C.: see Danielian P. J.
Molar pregnancy complicating complete hydatidiform mole follow-up, 325
Mollica G.: see Cocilovo G.
Monaghan J. M.: see Lopes A.
Montague I.: see Johnson N.
Montoya F.: see Ariceta J. M.
Morbidity, short term, following large loop excision of the cervical transformation zone, 197
Morris N. H.: see Oganwu S. O.
Morrison J. J., Geraghty J. M. and Hackett G. A.: Spontaneous intrapartum splenic rupture, 27
Moss A. L. H.: see Pattison R. M.
Mould T. A. J.: see Smith R. N. J.
Mück A. O., Seeger H., Wiesner J., Korte K. and Lippert T. J.: Urinary prostanoids in postmenopausal women after transdermal and oral oestrogen, 341
Mucklow E. S.: An unusual hazard of amniocentesis, 259
Mulvey S. and Turner M.: Uterine torsion presenting as fetal distress before labour, 24
Murphy P. J.: see Adeghe A. J-H.
Murray-Lyon I. M.: see Long M. G.
Musgrove C.: see Rajkhowa M.
Muttinelli C.: see Nicotra M.

Naessens A.: see Foulon W.
Nakamura R. M.: see Bernstein G. S.
Nappi E.: see Cardia G.
Naqui N.: see Rizk D. E. E.
Narayansingh G., Rameswak S., Sukdeo M., Ahow M. and Wong J.: Post-abdominal hysterectomy vaginal evisceration following delayed coitus in the menopausal state, 358
Nash T. G.: see Asaad K. A. B.
Navani S. R., Martin D. H. and Parker M. J.: Developing a day case laparoscopy service, 438
Necrosis, scalp, following failed ventouse silc cup delivery, 428
Neonaki M.: see Matalliotakis I.
Neonatal morbidity associated with group B streptococci and its prevention with chlorhexidine, Supplement 2, S119
Neoplasia, Supplement 1, S26
New product development with injectable contraceptives, Supplement 1, S29
Newton J. R., d'Arcangues C. and Hall P.E.: 'Once-a-month' combined injectable contraceptives, Supplement 1, S1
Newton J. R.: see Jackson R.
Nicholson S. C.: see Robinson J. N.
Nicolaides K. H.: see Oteng-Ntim E.
Nicotra M., Pascone R., Muttinelli C., Rolfi G., Sbracia M., Amato P. and Cosmi E. V.: Immunoglublin treatment in recurrent spontaneous abortion, 138
Noel J. C., Hustin J., Simon P. and Verhest A.: Uterus-like mass of the ovary, 209
Norman E. K.: see Stray-Pedersen B.
North R. A.: see Ferrier C.
Nuaim M. A.: see El Torkey M. M.
Nuaim M. A.: see Kurdi A. M.
Nwosu E. C., Esedebe E. M. and Day J. B.: Persistent vaginal discharge following legal abortion, 212

O'Brien P. M. S.: see Kilby M.
O'Donnell M. A.: see Pattison R. M.
Oganwu S. O., Sanusi F. A., Simanowitz M. D. and Morris N. H.: Ectopic pregnancy diagnosed following attempted mifepristone (RU 486) abortion, 259
Oganwu S., see Sanusi F. A.
Oghoetuoma J.: Scalp necrosis following failed ventouse silc cup delivery, 428
Ogita S.: see Tsuda H.
Ogston S.: see Chien P. F. W.
Okonofua F. E.: Induced abortion: a risk factor for infertility in Nigerian women, 272
Oláh K. S. and McFadyen I.: Attenuation of intra-uterine pressure—a sign of uterine rupture in 'trial of scar', 322
Olivieri L.: see Vincent C.
'Once-a-month' combined injectable contraceptives, a review, Supplement 1, S1–S34
Öneş S.: see Akalin-Sel T.
Oram D. H.: see Brady J. L.
O'Sullivan D. C., Jago R. H. and Evans A. J.: Small bowel infarction after gemeprost induced labour for missed abortion, 19
Oteng-Ntim E., Martin M. and Nicholaides K. H.: Prenatal diagnosis of X-linked hydrocephalus, 162
Ovarian hyperstimulation syndrome, survival after right internal carotid artery occlusion associated with, 448
Ovary, uterus-like mass of, 209
Overton T. G. and Wetherall A. P.: Postoperative synergistic gangrene, 205
Ovulation and fertility, return of, after injectable contraceptives, Supplement 1, S25

Paavonen J.: Vulvodynia—the burning vulva syndrome, Supplement 2, S77
Parker M. J.: see Navani S. R.
Pascone R.: see Nicotra M.
Patel N. B.: see Chien P. F. W.
Pattison R. M., O'Donnell M. A. and Moss A. L. H.: Surgical treatment of vulval 'polyps' in Crohn's disease, 206
Peel J. M.: see Braet P. G.
Pekmezci S.: See Akalin-Sel T.
Pelvic abscess, management of in a Nigerian hospital, 180
Pelvic mass in pregnancy, unusual differential diagnosis of, 261
Pelvic neurilemmoma—a rare cause of disproportion and indication for an elective caesarean section, 21
Pelvic ultrasonography in patients with chronic pelvic

pain and negative laparoscopy, psychological and physical benefits of. A random allocation trial, 269
Pembrey M. R.: see Assad K.
Penna L.: see Kabukoba J. J.
Perera S.: see Rico H.
Perinatal infections, Supplement 2, S119
Petersen E., Ambroise-Thomas P., Foulon W., Gilbert R., Hedman K., Ho-Yen D., Joynson D., Petithory J.-C. and Stray-Pedersen B.: Congenital toxoplasmosis. The European research network on congenital toxoplasmosis—a concerted action under the European Union research programme BIOMEDI, Supplement 2, S112
Petithory J.-C.: see Petersen E.
Pharmacokinetic and pharmacodynamic studies of injectable contraceptives (phase I and phase II), Supplement 1, S9
Phillips W. D. P.: see Guy P. S.
Placenta praevia and placenta accreta, previous caesarean section and the rising incidence of, 14
Placental tumour, ultrasound scan diagnosis of, in second and third trimesters of pregnancy—could it be placental abruption?, 20
Platz-Christensen J. J.: Bacterial vaginosis and risks in gynaecology, Supplement 2, S47
Póka R., Szluha K., Hernádi Z., Juhász B. and Lampé L.: Are pre-operative lymphographic results reflected in the survival of stage Ib and IIa cervical cancer?, 352
Pogmore J. R.: see Llewelyn R. W.
Pregnancies, intra-uterine and spontaneous and 'artificial' ectopic tubal, an ultrastructural study on, 226
Prentice M. G.: see Balen A. H.
Proceedings
European Society for Infectious Diseases in Obstetrics and Gynaecology, Supplement 2, S47
Surgical Infection Study Group Session, 54
Victor Bonney Society Meeting, 361
Prophylaxis and serious infections in Gynaecology and Obstetrics, Supplement 2, S87
Propkopakis P.: see Matalliotakis I.
Puerperal morbidity, effect of monitoring the fetus with a pulse oximeter on, 11

Quinn A. J., Barrett T. and Kingdom J. C. P.: Relation between hysterectomy and subsequent ovarian function in a district hospital population, 103

Rahman J.: see Al-Mulhim A.
Rahman M. S.: see Al-Mulhim A.
Rajkhowa M., Warwick A. P., Mazhar E., Musgrove C. and Redman C. W. E.: Community cytological surveillance following treatment of cervical intra-epithelial neoplasia, 203
Ramsewak S.: see Narayansingh G.
Randle G. R.: see Arowojolu A. O.
Raz R.: A controlled trial of intravaginal oestriol in postmenopausal women with recurrent urinary tract infection, Supplement 2, S66
Recurrent vulvo-vaginal candidiasis, Supplement 2, S127
Recurrent yeast-infection, Supplement 2, S127
Redman C. W. E.: see Rajkhowa M.
Reginald P. W.: see Meniru G. I.
Rehen N.: Characteristics of the menarche in Hausa girls in Nigeria, 265
Revilla R.: see Rico H.
Rico H., Revilla R., Villa L. F., Arnanz F., Perera S. and Arribas I.: Trabecular versus cortical bone loss induced by GnRH agonists, 188
Rizk D. E. E. and Naqui N.: Sinusoidal heart rate pattern in a second twin caused by massive feto-maternal haemorrhage, 25
Rizvi J. H.: see Aziz-Karim S.
Robertson G.: see Lopez A.
Robinson J. N., Nicholson S. C., Egan D. M. and Barlow D. H.: Diathermy loop excision of the cervix: a cause for female iso-immunity to spermatozoa?, 290
Rogers M. S., Chung T. and Baldwin S.: A reappraisal of second trimester mean arterial pressure as a predictor of pregnancy induced hypertension, 232
Rolfi G.: see Nicotra M.
Roopnarinesingh S.: see Downes R.
Rugman F. P.: see Wilde J. T.

Sabagh T. O.: see El Torkey M. M.
Salivary progesterone estimation: an unusual application, 289
Sanusi F. A., Oganwu S., Bernhardt L. W., Simanowitz M. D. and Harrison R.: Squamous cell carcinoma arising from a dermoid cyst with unsuspected splenic metastasis diagnosed by needle aspiration, 359
Sanusi F. A.: see Oganwu S. O.
Sattin R. S.: see Stamp R. J.
Sbracia M.: see Nicotra M.
Scarffe R. J.: see Chia K. V.
Schlaeder G.: see Bassi C.
Schneider A.: Human papillomavirus infections of the lower genital tract, Supplement 2, S82
Scleroderma, pregnancy and, 262
Scott V.: see Dougall H.
Seeger H.: see Mück A. O.
Selvaggi L.: see Cardia G.
Sencer E.: see Erbengi T.
Setchell M. E.: see Irvine L. M.
Setchell M. E.: see Spence-Jones C.
Sevilen F.: see Erbengi T.
Sex tourism, migratory prostitution and travel sex, Supplement 2, S76
Shafi M. I.: see Chari S. P.
Shafi M. I.: see Herod J. J. O.
Sharma K. K., Mahmood T. A. and Smith N. C.: Short term effect of obstetric anaesthesia on bladder function, 254
Sharma K. K. Y. and Frith K. M.: Dysmenorrhoea and abdominal mass in an adolescent with a uterus bicornis unicollis, 50
Sheppard L.: see Drudy L.
Simanowitz M. D.: see Oganwu S. O.
Simanowitz M. D.: see Sanusi F. A.
Simon P.: see Noel J. C.
Simpson R. D.: see Stamp R. J.

Sinusoidal heart rate pattern in a second twin caused by massive feto-maternal haemorrhage, 25
Sivanesaratnam V.: see Malik A. K.
Smith N. C.: see Sharma K. K.
Smith R. N. J., Mould T. A. J., Cockell A. and Coltart T. M.: Endometrial resection increases demand for surgical treatment of menorrhagia, 115
Smoleniec J. S. and James D. K.: Fetal hydrops—is the prognosis always poor?, 142
Sobowale O. A.: see Chia K. V.
Sollid K.: see Høiby E.
Spence-Jones C., McCartney C. A., Doughty H. A. and Setchell M. E.: Life threatening coagulopathy complicating operative delivery from a fibroid uterus: resolution after myomectomy, 96
Spencer C. P. and Elias J. A.: Myotonic dystrophy complicated by acute hydramnios, 164
Spencer J. A. D.: see Ayida G.
Spinelto A.: see Guaschino S.
Splenic rupture, spontaneous intrapartum, 27
Stamp R. J., Sattin R. S., Beynon J. L. B. and Simpson R. D.: Screening for glucose intolerance in pregnancy by random plasma glucose measurement, 71
Steel M. R.: see Greiss G. G.
Steer P. J.: see Danielian P. J.
Strada L.: see Cardia G.
Stray-Pedersen B.: Prevalence of uro-genital disorders in postmenopausal women in Norway, Supplement 2, S62
Stray-Pedersen B.: see Petersen E.
Stray-Pedersen B.: Toxoplasmosis in Europe. Today's knowledge, Supplement 2, S105
Stray-Pedersen B.: Whitelaw A., Normann E. K., Grogaard J. and Bergan T.: Prevention of group B streptococcal infection of newborn and puerperal women. Effect of vaginal douching with chlorhexidine during childbirth, Supplement 2, S121
Stuart B.: see Aboud E.
Sturdee D. E.: see Llewelyn R. W.
Sturge-Weber syndrome associated with transient hydrops fetalis, 162
Sukdeo M.: see Narayansingh G.
Surgical Infection Study Group Session, 54
Sutherland A. M.: Gynaecological tuberculosis and pregnancy, 396
Sutton C.: see Low W. Y.
Symphysis fundus measurements for prediction of large for gestational age babies, 5
Syphilis in pregnancy, serological screening tests for: results of a 10 year survey (1982–92) in Coventry, 309
Szluha K.: see Póka R.

Tayal S. C. and Tosson S. R.: Contraceptive practice among women seeking legal abortion in Hartlepool, 355
Taşçi H.: see Akalin-Sel T.
Temmerman M.: Human immunodeficiency virus and women, Supplement 2, S70
Thomas M. and Khan G. Q.: Outcome of pregnancy in patients with one previous caesarean section, 396
Tophøj K.: see Kierkegaard O.
Torné A.: see Antolín E.
Tosson S. R.: see Tayal S. C.
Toxicology, Supplement 1, S8
Toxoplasmosis in Europe, today's knowledge of, Supplement 2, S105
Transcervical resection of the endometrium, cervical incompetence, a complication of pregnancy following, 260
Transformation zone, anaesthesia for large loop diathermy excision of, 285
Transformation zone, case controlled study of the outcome of pregnancy following loop diathermy excision of, 79
Transformation zone, large loop diathermy of: is 'see and treat' an acceptable option for the management of women with abnormal cervical smears?, 44
Transplanted heart, successive pregnancies in a patient with a, 258
Travelling abroad—its impact on women's health: vulvodynia, hepatitis C, Supplement 2, S76
Tsuda H., Yamamoto K., Fujino Y., Umesaki N. and Ogita S.: Adenomyosis limited to a rudimentary uterine horn, 207
Tubal patency in developing countries, an easy screening test for, 108
Tuberculosis, gynaecological, and pregnancy, 396
Tullus K.: see Burmah L. G.
Turner M.: see Mulvey S.
Turner mosaicism, polycystic ovaries and hyperprolactinaemia secondary to a pituitary macroadenoma, spontaneous conception in a woman with, 117
Twins, two cases of conjoined, 26

Umbilical cord torsion: a rare cause of intrauterine fetal death, 324
Umbilical endometriosis following blunt trauma, 208
Umesaki N.: see Tsada H.
Urinary prostanoids in postmenopausal women after transdermal and oral oestrogen, 341
Urinary symptoms, effect of hysterectomy, transcervical resection of the endometrium and cholecystectomy on: a subjective analysis, 200
Uro-genital disorders in postmenopausal women in Norway, Supplement 2, S62
Uro-genital infections in elderly women, Supplement 2, S59
Uro-genital infections in elderly women, treatment, prevention and cost benefit, Supplement 2, S63
Uro-vaginal physiology: overview, Supplement 2, S59
Uterine artery aneurysm rupture in pregnancy, 165
Uterine artery Doppler wave form indices in the second trimester: resistance index, notch measurement and placental position, 237
Uterine torsion presenting as fetal distress before labour, 24
Uterus, acute inversion of the, 323
Uterus, ruptured, during middle trimester abortion with gemeprost, 321

Vaginal bleeding patterns with injectable contraceptives, Supplement 1, S19

Vaginal discharge, persistent, following legal abortion, 212
Van Oudgaargen E.: see Johnson N.
van Wijngaarden W. J. and McFaul R. B.: Pelvic neurilemmoma—a rare cause of disproportion and indication for an elective caesarean section, 21
Ventresca G.: see Guaschino S.
Verhest A.: see Noel J. C.
Vesce F.: see Cocilovo G.
Vesiscocolic fistula, stage IV endometrial carcinoma presenting as, 120
Victor Bonney Society Meeting, 361
Villa L. F.: see Rico H.
Vincent C., Bark P., Jones A. and Olivieri L.: Impact of litigation on obstetricians and gynaecologists, 381
Vine S. J. and Evans J.: Salivary progesterone estimation: an unusual application, 289
Vitamin D deficiency, severe, in pregnancy, 430
Vulvodynia, Supplement 2, S76
Vulvodynia—the burning vulva syndrome, Supplement 2, S77

Waldenström U.: see Wikström I.
Walker C., Fowlis G. A., Lambert H. E. and Williams G.: Stage IV endometrial carcinoma presenting as a vesiscocolic fistula, 120
Walker P. G.: see Dawney G. P.
Walzman M.: see Kundu A.
Wardle P. G.: see Bhal K. S.
Warwick A. P.: see Rajkhowa M.
Waterson E. J.: see Long M. G.
Watts J. F.: see Herod J. J. O.
Westage J. and Williams J. A.: Evaluation of a controlled release vaginal prostaglandin E pessary with a retrieval system for the induction of labour, 146
Wetherall A. P.: see Overton T. G.
Whitelaw A. see Stray-Pedersen B.
Wiesner J.: see Mück A. O.
Wikström I., Axelsson O., Bergström R., Cnattingius S. and Waldenström U.: Symphysis fundus measurements for prediction of large for gestational age babies, 5
Wilde J. T., Rugman F. P., Kamiguti A., Hay, C. R. M., Davies M. G. and Al-Tahir H.: Coagulation factors in postmenopausal women using hormone replacement treatment, 193
Williams G.: see Walker C.
Williams J. A.: see Westgate J.
Wong J.: see Narayansingh G.
Woolas R. P.: see Brady J. L.

Yamamoto K.: see Tsuda H.

Zamblera D., Creighton S. and Lawton F.: Anaesthesia for large loop diathermy excision of the transformation zone, 285